WEST Search History

DATE: Monday, September 11, 2006

Hide?	Set Name	Query	Hit Count
		DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ	
☐	L178	L177 and (adjusted near5 data)	1
☐	L177	L176 and (raw near5 data)	66
☐	L176	l142 and l168	703
☐	L175	L174 and ((adjust$3 near5 data) same interval$1)	0
☐	L174	5778371 .uref.	10
☐	L173	L172 and (adjust$3 near5 data) and @py<=2000	7
☐	L172	L171 and (database$1 and ((time near5 series) or (interval near5 based)))	864
☐	L171	L169 or l168	27363
☐	L170	L169 and l168	19
☐	L169	702/176,179,180.ccls.	1149
☐	L168	707/1-3,6,100,102,104.1,200.ccls.	26233
☐	L167	L166 and (adjust$3 near5 value$1)	2
☐	L166	L165 and time$series	28
☐	L165	(financial near5 analysis) and (time near5 interval$1)	407
☐	L164	(link$3 near5 database$1) and (financial near5 data) and (adjust$3 near5 interval$1) and @py<=2001	1
☐	L163	L162 and (multiple near5 database$1)	8
☐	L162	(adjust$3 near5 data) same (time near5 interval$1)	1003
☐	L161	(adjust$3 near5 data) same (time near5 interval$1) and time$series and (financial near5 data)	1
☐	L160	L159 and (track$3 near5 financial)	9
☐	L159	L155 and (multiple near5 database$1)	38
☐	L158	L157 and (multiple near5 database$1)	0
☐	L157	L156 and (adjust$3 near5 data)	9
☐	L156	L155 and (adjust$3 near5 interval$1)	22
☐	L155	(time$series) near5 data	2539
☐	L154	(securities near5 data) and (adjust$3 near5 inverval$1)	0
☐	L153	(securities near5 data) and (adjust$3 near5 inverval$1) and (time$series)	0
☐	L152	L148 and (adjust$3 near5 interval$1) and (stock near5 price$1)	1
☐	L151	L150 and interval$1	3
☐	L150	L149 and adjust$3	5

☐	L149	L148 and (financial near5 data)	10
☐	L148	(time$series) and database$1 and @py<=2001	179
☐	L147	6065014.uref.	1
☐	L146	L142 and (time$series)	11
☐	L145	L144 and mapp$3	7
☐	L144	L142 and (source near5 table) and (target near5 table)	27
☐	L143	L142 and (source near5 database) and (target near5 database)	58
☐	L142	(first near5 database) and (second near5 database) and @py<=2001	3375
☐	L141	L140 and mapp$3	6
☐	L140	(time$series) and (second near5 database) and @py<=2000	13
☐	L139	(adjust$3 near5 time) and (adjust$3 near5 data) and (adjust$3 near5 interval$1) and (second near5 database) and @py<=2000	0
☐	L138	(adjust$3 near5 time) and (adjust$3 near5 data) and (adjust$3 near5 interval$1) and (second near5 database) and @py<=2001	1
☐	L137	L136 and (adjust$3 near5 interval$1)	2
☐	L136	L135 and (time near5 interval$1)	132
☐	L135	L134 and (second near5 database)	466
☐	L134	(stor$3) same (raw near5 data) and (first near5 database)	934
☐	L133	(stor$3) same (raw neaer5 data)	0
☐	L132	(stor$3) same (raw neaer5 data) and (first near5 database)	0
☐	L131	L130 and (market near5 data)	3
☐	L130	(database$1 and synchron$3 and time and interval$1 and adjust$3 and raw and data and mapp$3) and @py<=2001	223
☐	L129	L128 and mapp$3	11
☐	L128	L127 and (interval$1 near5 adjust$3)	46
☐	L127	L126 and (time near5 interval$1)	1918
☐	L126	(first near5 database) and (second near5 database)	14050

DB=USPT,PGPB; PLUR=YES; OP=ADJ

☐	L125	('5544281'| '6032125'| '6125105'| '6370437'| '6381554'| '6532449')![pn]	6

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

☐	L124	L123 and (trend$1 near5 interval$1)	3
☐	L123	L118 and (interval$1 near5 data)	87
☐	L122	L120 and (interval$1 near5 adjust$3)	1
☐	L121	L120 and (interval$1 near5 adjustment$1)	0
☐	L120	L119 and (adjust$3 near5 data)	28
☐	L119	L118 and (data near5 structures)	244
☐	L118	L117 and database$1	419
☐	L117	(stock near5 price$1) and (time near5 series)	618

(interval$1 near5 data) and (interval$1 near5 adjustment$1) and (time$series)

☐	L116	and (stock near5 price$1) and database$1	0
☐	L115	(interval$1 near5 data) and (interval$1 near5 adjustment$1) and (time$series) and (raw near5 data) and database$1	6
☐	L114	5454104.uref.	17
☐	L113	L112 and mapp$3	6
☐	L112	(first near5 database) and (second near5 database) and (raw near5 data) and (time near5 series) and @py<=2001	10
☐	L111	(securities near5 database$1) and (trad$3 near5 database$1) and (market$3 near5 database$1) and (price near5 database$1) and (time near5 series) and track$3 and (adjust$3 near5 data) and (raw near5 data) and @py<=2001	0
☐	L110	(first near5 database) and (second near5 database) and (raw near5 data) and (time near5 series) and (track$3 near5 data) and mapp$3 and (adjust$3 near5 data) and @py<=2001	1
☐	L109	(time$series) and (financial near5 (chart$1 or graph$1)) and @py<=2001	1
☐	L108	(mapp$3 near5 relational) and (relational near5 database$1) and financial and trad$3 and stock$1 and price$1 and time and interval$1 and graph$1 and @py<=2001	2
☐	L107	(stock near5 table$1) and (trad$3 near5 table$1) and (currency near5 table$1) and (time near5 interval$1) and mapp$3 and (adjust$3 near5 (value$1 or price$1)) and @py<=2001	0
☐	L106	L105 and (time near5 interval$1)	7
☐	L105	L103 and (price near5 (data structure))	15
☐	L104	L103 and (price near5 (data structurre))	0
☐	L103	stock same (data near5 structure)	494
☐	L102	stock same (data neaer5 structure)	0
☐	L101	L100 and display$3 and currency and financial	1
☐	L100	(primary near5 database) and (secondary near5 database$1) and mapp$3 and interval$1 and data and adjust$3 and @py<=2001	11
☐	L99	L98 and financial	12
☐	L98	L97 and (data near5 type$1)	36
☐	L97	L96 and (mapp$3 near5 structures)	42
☐	L96	source near5 (data structure) and (target near5 (data structure))	247
☐	L95	5220500.uref.	51
☐	L94	L93 and (raw near5 data)	9
☐	L93	L85 and @py<=2001	98
☐	L92	L90 and @py<=2001	8
☐	L91	L90 and time$series	0
☐	L90	L89 and query$3	30
☐	L89	L88 and time and range and adjust$5	30
☐	L88	L86 and mapp$3	32
☐	L87	L86 and (relational near5 database$1)	6

☐	L86	L85 and (currency near5 database$1)	34
☐	L85	(financial near5 database$1) and (securit$3 near5 database$1)	510
☐	L84	(financial near5 database$1) and (securit$3 near5 database$1) and (currency near5 database$1) and mapp$3 and stor$3 and analys$3 and trend$1 and @py<=2001	0
☐	L83	(financila near5 database$1) and (securit$3 near5 database$1) and @py<=2001	0
☐	L82	(financila near5 database$1) and (securit$3 near5 database$1) and (currency near5 database$1) and @py<=2001	0
☐	L81	(financila near5 database$1) and (securit$3 near5 database$1) and (currency near5 database$1) and mapp$3 and stor$3 and analys$3 and trend$1 and @py<=2001	0
☐	L80	L79 and (adjust$3 near5 data)	2
☐	L79	L78 and track$3 and time and series	40
☐	L78	L77 and (data near5 type$1) and (data near5 value$1) and financial	64
☐	L77	(relational near5 databases) and (data near5 structure$1) and mapp$3 and time and series and @py<=2001	478
☐	L76	L74 and time and interval$1 and range$1	0
☐	L75	L74 and (adjust$3 near5 interval$1)	0
☐	L74	L45 and @py<=2001	10
☐	L73	L72 and (data near5 interval$1) and (time near5 interval$1) and @py<=2001	4
☐	L72	(stock near5 market$1) and (relational near5 databases)	480
☐	L71	L70 and range	2
☐	L70	L69 and (time near5 interval$1)	12
☐	L69	L68 and mapp$3	25
☐	L68	L67 and first and second and database and structure$1	32
☐	L67	financial near5 schema	44
☐	L66	L65 and trend$1	3
☐	L65	L64 and value$1 and adjust$3	9
☐	L64	L62 and mapp$3	35
☐	L63	L62 and time$series	1
☐	L62	(financial near5 database$1) and (data near5 type$1) and relational and @py<=2001	73
☐	L61	(source near5 database$1) and (target near5 database$1) and (financial near5 attribute$1) and @py<=2001	0
☐	L60	(source near5 database$1) and (target near5 database$1) and (financial near5 attribute$1) and (trad$3 near5 attribute$1) and @py<=2001	0
☐	L59	5873091.uref.	7
☐	L58	5446575.uref.	24
☐	L57	(financial near10 (data structure)) and (stock near10 (data structure)) and mapp$3 and @py<=2001	1
☐	L56	(database$1 near5 structure$1) and financial and time$series and @py<=2001	7

☐	L55	database$1 near5 structure$1 and financial and time$series and @py<=2001	7
☐	L54	(stock near5 table$1) and (trader$1 near5 table$1) and time$series and relational and @py<=2001	0
☐	L53	(stock near5 database$1) and (trader$1 near5 database$1) and time$series and relational and @py<=2001	0
☐	L52	(stock near5 database$1) and (trader$1 near5 database$1) and time$series and relational and structure and @py<=2001	0
☐	L51	L50 and mapp$3 and @py<=2001	4
☐	L50	L49 and (financial near5 data)	102
☐	L49	(data near5 value$1) and (time$series)	2248
☐	L48	L47 and (time$series) and graph$1 and chart$1	21
☐	L47	L13 and stock and financial and trend	192
☐	L46	L45 and stock and financial and trend	5
☐	L45	L44 and ((second near5 database) same (data near5 structure))	49
☐	L44	(primary) same (data near5 structure)	5377
☐	L43	L42 and ((stock near5 price) same (price near5 attribute$1))	1
☐	L42	(financial) near5 (data structure)	137
☐	L41	(time$series) and (stock near5 database$1) and @py<=2001	5
☐	L40	6125105.uref.	9
☐	L39	(time$series) and (stock near5 market$1) and (trend near5 analysis) and @py<=2001	1
☐	L38	5819237.uref.	20
☐	L37	L36 and (trend near5 database$1)	0
☐	L36	(financial near5 database$1) and (financial near5 attribute$1) and @py<=2001	14
☐	L35	(financial near5 database$1) and (financial near5 attribute$1) and (quote near5 database$1) and (quote near5 attribute$1) and @py<=2001	0
☐	L34	(financial near5 database$1) and (data near5 structure) and (storck near5 database$1) and (stock near5 attribute$1) and (trend near5 database$1) and (trend near5 attribute$1) and @py<=2001	0
☐	L33	(financial near5 database$1) and (data near5 structure) and (storck near5 database$1) and (stock near5 attribute$1) and (trend near5 database$1) and (trend near5 attribute$1) and (time$series) and adjust$3 and @py<=2001	0
☐	L32	6321212.uref.	16
☐	L31	(time series data) and (data near5 structure) and (adjust$3 near5 value$1) and graph$1 and chart$1 and display$3 and financial and stock and price$1 and @py<=2001	1
☐	L30	L29 and @py<=2001	0
☐	L29	L28 and adjust$3 and raw and data$	21
☐	L28	L27 and track$3 and financial and data$	21
☐	L27	L13 and histogram$1 and (time$series)	28
☐	L26	L25 and (time$series)	1

☐	L25	5590325.uref.	20
☐	L24	(time$series) and (stock near5 database$1) and @py<=2001	5
☐	L23	(time$series) and (stock near5 database$1) and (financial near5 data) and @py<=2001	1
☐	L22	(adjust$3 near5 graph$1) and (financial near5 database$1)	2
☐	L21	(renko near5 graph$1) and (financial near5 database$1)	0
☐	L20	(renko near5 chart$1) and (financial near5 database$1)	0
☐	L19	(swing near5 chart$1) and (financial near5 database$1)	0
☐	L18	(swing near5 chart$1) and (financial near5 database$1) and (time near5 series)	0
☐	L17	(swing near5 chart$1) and (financial near5 database$1) and (time near5 series) and (adjustment$1 near5 data) and (data near5 value$1) and (data near5 range$1) and (stock near5 database$1)	0
☐	L16	(swing near5 chart$1) and (financial near5 database$1) and (time near5 series) and (adjustment$1 near5 data) and (data near5 value$1) and (data near5 range$1) and (stock near5 database$1) and @py<=2001	0
☐	L15	L14 and (interval$1 same adjustment$1)	0
☐	L14	Q13 and (map$ near5 data)	319
☐	L13	(second near5 database) and (first near5 database)	14050
☐	L12	L10 and (first near5 database)	0
☐	L11	L10 and (financial near5 data)	0
☐	L10	L1 and (databases)	32
☐	L9	L8 and (raw near5 data)	133
☐	L8	Q7 and respons$	11273
☐	L7	L6 and map$	50
☐	L6	L5 and stor$	141
☐	L5	Q4 and (adjust$ near5 data)	239
☐	L4	(time series) same (data near5 value$1)	2130
☐	L3	L2 and (data near5 interval$1)	2
☐	L2	L1 and (raw near5 data)	11
☐	L1	(data$ and adjust$).ti.	15795

END OF SEARCH HISTORY

WEST Search History

DATE: Monday, September 11, 2006

Hide?	Set Name	Query	Hit Count
		DB=PGPB; PLUR=YES; OP=ADJ	
☐	L20	(second and first and database$1 and structure and time and based and interval$1 and raw and data and (query$3 or search$3) and adjust$4 and input and organiz$3).clm.	0
☐	L19	(second and first and database$1 and structure and time and based and interval$1 and raw and data and (query$3 or search$3) and adjust$4 and input and response).clm.	0
☐	L18	(second and first and database$1 and structure and time and based and interval$1 and raw and data and (query$3 or search$3) and adjust$4 and input).clm.	1
☐	L17	(second and first and database$1 and structure and time and based and interval$1 and raw and data and (query$3 or search$3) and adjust$4).clm.	1
☐	L16	(second and first and database$1 and structure and time and based and interval$1 and raw and data and (query$3 or search$3)).clm.	1
☐	L15	(second and first and database$1 and structure and time and based and interval$1 and raw and data).clm.	5
☐	L14	(second and database and structure and stor$3 and interval$1 and time and based and adjust$4 and (data or value$1) and raw and range).clm.	1
☐	L13	((query$3 or search$3) and (adjust$3 near5 value$1) and (pend$3 near5 adjustment$1) and (time near5 series)).clm.	0
☐	L12	(raw and (record$1 or value$1) and range and (time or interval$1) and database$1 and structure$1 and adjust$4 and series and stor$3 and (access$3 or retriev$3) and (organiz$3 or arrang$3 or table$1) and view$1 and (query$3 or search$3)).clm.	0
☐	L11	(raw and (record$1 or value$1) and range and (time or interval$1) and database$1 and structure$1 and adjust$4 and series and stor$3 and (access$3 or retriev$3) and (organiz$3 or arrang$3 or table$1) and view$1 and (subsequent near5 interval$1)).clm.	0
☐	L10	(raw and (record$1 or value$1) and range and (time or interval$1) and database$1 and structure$1 and adjust$4 and series and stor$3 and (access$3 or retriev$3) and (organiz$3 or arrang$3 or table$1) and view$1).clm.	35
☐	L9	(raw and (record$1 or value$1) and range and (time or interval$1) and database$1 and structure$1 and adjust$4 and series and stor$3 and (access$3 or retriev$3) and (organiz$3 or arrang$3 or table$1)).clm.	35
☐	L8	(raw and (record$1 or value$1) and range and (time or interval$1) and database$1 and structure$1 and adjust$4 and series and stor$3 and (access$3 or retriev$3)).clm.	35
☐	L7	(raw and (record$1 or value$1) and range and (time or interval$1) and	35

database$1 and structure$1 and adjust$4 and series and stor$3).clm.

☐	L6	(raw and (record$1 or value$1) and range and (time or interval$1) and database$1 and structure$1 and adjust$4).clm.	40
☐	L5	(raw and (record$1 or value$1) and range and (time or interval$1) and database$1 and structure$1).clm.	48
☐	L4	(raw and (record$1 or value$1) and range and (time or interval$1)).clm.	234
☐	L3	(raw and (record$1 or value$1) and range and (time or interval$1) and adjust$4 and pending and database$1).clm.	0
☐	L2	(database$1 and first and structure and raw and (data or record$1) and value$1 and (second near5 structure)).clm.	5
☐	L1	(database$1 and first and structure and raw and (data or record$1) and value$1).clm.	66

END OF SEARCH HISTORY